

EZ-Dumper[®]



The Original Hydraulic Dump Insert

Turn Your *Pickup* Into a *Dump Truck* in 2 Hours!

The **EZ-Dumper**® Dump Insert is the perfect solution for landscapers, general contractors and handy homeowners. It bolts directly to most full-size pickup trucks in about two hours with few or no alterations. It dumps and lowers using a 12V Monarch Hydraulic Double-Acting Pump that is connected directly to your truck's battery. It is also available in a 6' model that fits most short bed trucks and has a payload capacity of 1.5 cubic yards!

Never unload your truck by hand again.

EZ-Dumper® dump inserts can hold and unload up to 6,000 lbs. or two cubic yards of firewood, topsoil, gravel, mulch, grain, or whatever, depending on the weight-carrying capacity of your truck.

Easy to install and operate.

All you need are a few common tools. No alterations are needed for most trucks. Just slide the dump insert into your truck bed, secure it to your truck's frame with the included hold-down clamps, and you're ready to go. To empty a load, just open the tailgate and push a button on your remote. **EZ-Dumper**® dump inserts lift to an angle of 51° in 15 seconds for quick and clean unloading.

Built to last.

From two cubic yards of cordwood to three tons* of crushed stone, **EZ-Dumper**® dump inserts are designed to take a beating from the toughest loads and provide years of reliable service. Made with heavy gauge materials and backed by a structural steel frame, an **EZ-Dumper**® dump insert will likely outlast your next two or three pickup trucks.



Service Body Dump Insert

EZ-DUMPER FEATURES

- Available in 8 FT and 6 FT Lengths
- 6,000 Pounds* Capacity
- 12 Gauge Steel Floor
- 14 Gauge Steel Sides
- Structural Steel Frame
- 4 Bolt-Down Clamps
- 6 or 8 Stake Pockets
- Full Length Rub Rails
- Single Mounted Hoist and Pump
- Double-Acting Removable Tailgate
- 12V Double Acting Pump & Cylinder
- Power Up and Power Down
- Remote Control
- Thread in Grease Fitting on Pivots
- Two-Year Warranty
- Installs in Two Hours (w/ Standard Hand and Power Tools)

ACCESSORIES

- Deluxe Bolt-On Cab Protector
- Tarp Roller Kit
- Coal Chute Spreader Tailgate
- High Side Rail & Tailgate Extensions


*The payload carrying capacity of any truck is determined by the GVWR of the cab chassis, the curb weight of the cab chassis and the weight of the body. It is important that you determine that your truck has satisfactory carrying capacity and axle ratings for your specific application.




STANDARD *Features*



Double Acting Tailgate



Remote Control



Hydraulic Cylinder



12V Electric Motor



OPTIONAL *Accessories*



Deluxe Cab Protector

Protect your cab from whatever you are hauling with the optional Deluxe Cab Protector. Made from heavy gauge steel, it secures to the top of the insert for a seamless, custom look.



High Side Rail & Tailgate Extensions

A must-have for transporting loose materials, these metal High Side Rail and Tailgate Extensions are a great addition to your **EZ-Dumper**[®]. You can nearly double your volume capacity while keeping your load secure.

Personalize it with your company logo.



Tarp Roller Kit

This sturdy PVC mesh tarp roller kit contains your load and easily rolls up and out of the way when not in use. It secures to the top of the cab protector and comes in black.



PRODUCT *Specifications*

SPECIFICATION	STEEL	STAINLESS STEEL	ALUMINUM	SERVICE BODY
Part Number	6 FT: EZ0012TSB	6 FT: EZ0012TSS-SB	6 FT: EZ0012TAL-SB	EZ0012T-UTILITY
	8 FT: EZ0012T	8 FT: EZ0012TSS	8 FT: EZ0012TAL	
Bed Floor Size	6 FT: 48" W x 74-1/8" L			Custom
	8 FT: 48" W x 96" L			
Overall Dimensions	6 FT: 26" H x 75-3/4" W x 84" L			Custom
	8 FT: 26" H x 75-3/4" W x 107-1/2" L			
Unit Weight	6 FT: 691 lbs.	6 FT: 690 lbs.	6 FT: 501 lbs.	Varies
	8 FT: 787 lbs.	8 FT: 777 lbs.	8 FT: 536 lbs.	
Volume Capacity	6 FT: 1.5 Cubic Yards			Varies
	8 FT: 2 Cubic Yards			
Payload Capacity	6000 lbs. (maximum)			
Cycle Up Time	15 Seconds			
Dump Angle	0 - 51 Degrees			
Top Frame	Structural Steel	Structural Steel	Aluminum	Structural Steel or Aluminum
Bottom Frame	Structural Steel			
Side Material	14 Gauge Steel	14 Gauge 304 Stainless	1/8" Aluminum	14 Gauge Steel or 1/8" Aluminum
Deck Material	12 Gauge Steel	12 Gauge 304 Stainless	3/16" Aluminum	12 Gauge Steel or 3/16" Aluminum
Tailgate	Double-Acting Removable Spreader			
Power Source	Truck Battery, 20 ft., 4 gauge cables			
Cylinder	4" x 9-1/2" Power Up/Power Down			
Hydraulics	12V Monarch, Double Acting			
Lift Type	Double Acting Scissor Hoist			
Remote Control	Tethered Control Box with 15 ft. Cord			
Tie-Down Features	Full Length Flat Bar Rub Rails			
Expansion	6 FT - 6 Stake Pockets; 8 FT - 8 Stake Pockets			
Lubrication	Thread in Grease Fittings on Pivots			
Installation	Four Bolt-Down Clamps			
Color (standard)	Powder Coat Black (custom colors optional)	Stainless Steel	Aluminum	Powder Coat Black, Aluminum, Stainless Steel (custom colors optional)
Optional Accessories	Deluxe Bolt-On Cab Protector			
	Tarp Roller Kit			
	Coal Chute Spreader Tailgate			
	20" High Side Rail & Tailgate Extension Kit			
	High Side Extension Bracket Kit - 12" or 19"			



Authorized Dealer:

6806 Anthony Highway • P.O. Box 70 • Waynesboro, PA 17268
Tel: 866-967-DUMP • www.EZ-Dumper.com

This document is non-contractual. Constant improvement and engineering progress make it necessary that we reserve the right to make specification, equipment, and price changes without notice.